



Information Report

STATEWIDE (FED-AID), STATEWIDE (NON FED-AID)

41535, 41536

X-A004(663) , NON-FEDERAL

County:

Date Bids Open: 8/31/2017

Scope of Work: Emergency paving repair contract for Fed-Aid Highways. Districts 1,2 & 3;
Emergency paving repair contract for NON Fed-Aid Highways. Districts 1,2 & 3

Location: Various; Various

Completion Date: 11/17/2017

Proposal Guarantee: 5% of bid amount

STATEWIDE (FED-AID) 41535			
NH 10 77019			
Item Number	Item Description	Unit	Estimated Quantity
203.1	COMMON EXCAVATION	CY	58.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	5.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	4.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	67.00
403.6	PAVEMENT JOINT ADHESIVE	LF	530.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	6.00
618.7	FLAGGERS	HR	40.00
619.1	MAINTENANCE OF TRAFFIC	U	0.05
628.2	SAWED BITUMINOUS PAVEMENT	LF	265.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	250.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	120.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	22.00
645.531	SILT FENCE	LF	22.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	120.00
647.1	HUMUS	CY	12.00

692.	MOBILIZATION	U	0.05
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	2,350.00
NH 10 77028			
203.1	COMMON EXCAVATION	CY	26.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	4.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	5.00
304.35	CRUSHED GRAVEL FOR DRIVES	CY	2.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	53.00
403.6	PAVEMENT JOINT ADHESIVE	LF	887.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	5.00
618.7	FLAGGERS	HR	40.00
619.1	MAINTENANCE OF TRAFFIC	U	0.04
628.2	SAWED BITUMINOUS PAVEMENT	LF	443.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	450.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	233.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	42.00
645.531	SILT FENCE	LF	42.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	233.00
647.1	HUMUS	CY	23.00
692.	MOBILIZATION	U	0.04
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	2,420.00
NH 112 77032			
202.7	REMOVAL OF GUARDRAIL	LF	450.00
203.1	COMMON EXCAVATION	CY	45.00
203.55541	GUARDRAIL EAGRT PLATFORM ALTERNATE, TL 3	U	1.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	9.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	13.00

403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	91.00
403.6	PAVEMENT JOINT ADHESIVE	LF	2,420.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	11.00
606.1254	BEAM GUARDRAIL (TERMINAL UNIT TYPE EAGRT, TL 3) (STEEL POST)	U	1.00
606.18001	31" W-BEAM GUARDRAIL WITH 8" OFFSET BLOCK (STEEL POST)	LF	425.00
618.7	FLAGGERS	HR	60.00
619.1	MAINTENANCE OF TRAFFIC	U	0.11
621.2	RETROREFLECTIVE BEAM GUARDRAIL DELINEATOR	EA	7.00
628.2	SAWED BITUMINOUS PAVEMENT	LF	1,207.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	1,150.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	620.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	112.00
645.531	SILT FENCE	LF	112.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	620.00
647.1	HUMUS	CY	60.00
692.	MOBILIZATION	U	0.11
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	3,380.00

NH 118 77035

203.1	COMMON EXCAVATION	CY	27.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	6.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	9.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	54.00
403.6	PAVEMENT JOINT ADHESIVE	LF	1,590.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	7.00
618.7	FLAGGERS	HR	40.00
619.1	MAINTENANCE OF TRAFFIC	U	0.06
628.2	SAWED BITUMINOUS PAVEMENT	LF	793.00

632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	800.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	422.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	228.00
645.531	SILT FENCE	LF	228.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	422.00
647.1	HUMUS	CY	41.00
692.	MOBILIZATION	U	0.06
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	2,640.00
NH 112 77088			
203.1	COMMON EXCAVATION	CY	30.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	6.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	5.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	61.00
403.6	PAVEMENT JOINT ADHESIVE	LF	875.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	8.00
618.7	FLAGGERS	HR	40.00
619.1	MAINTENANCE OF TRAFFIC	U	0.04
628.2	SAWED BITUMINOUS PAVEMENT	LF	437.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	400.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	213.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	39.00
645.531	SILT FENCE	LF	39.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	213.00
647.1	HUMUS	CY	20.00
692.	MOBILIZATION	U	0.04
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	1,676.74

Incidentals

206.19	COMMON STRUCTURE EXCAVATION EXPLORATORY	CY	2.50
214.	FINE GRADING	U	0.20
621.31	SINGLE DELINEATOR WITH POST	EA	1.00

STATEWIDE (NON FED-AID) 41536

NH 25C 77016

203.1	COMMON EXCAVATION	CY	125.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	25.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	31.00
304.35	CRUSHED GRAVEL FOR DRIVES	CY	10.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	243.00
403.6	PAVEMENT JOINT ADHESIVE	LF	5,768.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	30.00
618.7	FLAGGERS	HR	100.00
619.1	MAINTENANCE OF TRAFFIC	U	0.11
628.2	SAWED BITUMINOUS PAVEMENT	LF	2,881.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	2,847.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	1,545.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	279.00
645.531	SILT FENCE	LF	279.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	1,545.00
647.1	HUMUS	CY	151.00
692.	MOBILIZATION	U	0.11
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	3,220.00

NH 25C 77017

203.1	COMMON EXCAVATION	CY	139.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	28.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	22.00

304.35	CRUSHED GRAVEL FOR DRIVES	CY	10.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	287.00
403.6	PAVEMENT JOINT ADHESIVE	LF	4,064.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	34.00
618.7	FLAGGERS	HR	60.00
619.1	MAINTENANCE OF TRAFFIC	U	0.08
628.2	SAWED BITUMINOUS PAVEMENT	LF	2,031.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	2,300.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	1,055.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	190.00
645.531	SILT FENCE	LF	190.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	1,055.00
647.1	HUMUS	CY	103.00
692.	MOBILIZATION	U	0.08
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	1,670.00

NH 25C 77018

203.1	COMMON EXCAVATION	CY	52.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	12.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	13.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	117.00
403.6	PAVEMENT JOINT ADHESIVE	LF	2,346.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	14.00
618.7	FLAGGERS	HR	40.00
619.1	MAINTENANCE OF TRAFFIC	U	0.03
628.2	SAWED BITUMINOUS PAVEMENT	LF	1,173.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	1,139.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	615.00

645.512	COMPOST SOCK FOR PERIMETER BERM	LF	111.00
645.531	SILT FENCE	LF	111.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	615.00
647.1	HUMUS	CY	60.00
692.	MOBILIZATION	U	0.03
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	720.00

Greensboro Road 77020

203.1	COMMON EXCAVATION	CY	8.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	1.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	2.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	17.00
403.6	PAVEMENT JOINT ADHESIVE	LF	362.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	2.00
618.7	FLAGGERS	HR	40.00
619.1	MAINTENANCE OF TRAFFIC	U	0.01
628.2	SAWED BITUMINOUS PAVEMENT	LF	181.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	200.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	93.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	17.00
645.531	SILT FENCE	LF	17.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	93.00
647.1	HUMUS	CY	10.00
692.	MOBILIZATION	U	0.01
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	200.00

Stinson Lake Road 77023

203.1	COMMON EXCAVATION	CY	63.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	16.00

304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	20.00
304.35	CRUSHED GRAVEL FOR DRIVES	CY	8.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	128.00
403.6	PAVEMENT JOINT ADHESIVE	LF	3,506.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	19.00
618.7	FLAGGERS	HR	60.00
619.1	MAINTENANCE OF TRAFFIC	U	0.06
628.2	SAWED BITUMINOUS PAVEMENT	LF	1,716.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	1,900.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	986.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	178.00
645.531	SILT FENCE	LF	178.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	986.00
647.1	HUMUS	CY	96.00
692.	MOBILIZATION	U	0.06
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	2,050.00

NH 116 77033

202.7	REMOVAL OF GUARDRAIL	LF	875.00
203.1	COMMON EXCAVATION	CY	112.00
203.55541	GUARDRAIL EAGRT PLATFORM ALTERNATE, TL 3	U	3.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	20.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	24.00
304.35	CRUSHED GRAVEL FOR DRIVES	CY	2.00
306.1121	RECLAIMED STABILIZED BASE PROCESSED IN PLACE, 12 IN DEEP	SY	3,115.00
306.36	STONE FOR RECLAIMED STABILIZED BASE	TON	405.00
403.11	HOT BITUMINOUS PAVEMENT, MACHINE METHOD	TON	1,215.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	202.00

403.6	PAVEMENT JOINT ADHESIVE	LF	10,055.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	370.00
417.	COLD PLANING BITUMINOUS SURFACES	SY	467.00
606.1254	BEAM GUARDRAIL (TERMINAL UNIT TYPE EAGRT, TL 3) (STEEL POST)	U	3.00
606.18001	31" W-BEAM GUARDRAIL WITH 8" OFFSET BLOCK (STEEL POST)	LF	775.00
609.811	BITUMINOUS CURB, TYPE B (4" REVEAL)	LF	775.00
618.7	FLAGGERS	HR	80.00
619.1	MAINTENANCE OF TRAFFIC	U	0.30
621.2	RETROREFLECTIVE BEAM GUARDRAIL DELINEATOR	EA	10.00
628.2	SAWED BITUMINOUS PAVEMENT	LF	2,620.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	11,750.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	1,197.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	226.00
645.531	SILT FENCE	LF	226.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	1,197.00
647.1	HUMUS	CY	117.00
692.	MOBILIZATION	U	0.30
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	5,169.19

Dame Hill Road 77040

203.1	COMMON EXCAVATION	CY	6.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	1.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	3.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	12.00
403.6	PAVEMENT JOINT ADHESIVE	LF	520.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	2.00
618.7	FLAGGERS	HR	40.00
619.1	MAINTENANCE OF TRAFFIC	U	0.01

628.2	SAWED BITUMINOUS PAVEMENT	LF	256.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	240.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	134.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	24.00
645.531	SILT FENCE	LF	24.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	134.00
647.1	HUMUS	CY	13.00
692.	MOBILIZATION	U	0.01
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	150.00

NH 175 77051

203.1	COMMON EXCAVATION	CY	86.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	18.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	6.00
304.35	CRUSHED GRAVEL FOR DRIVES	CY	5.00
403.11	HOT BITUMINOUS PAVEMENT, MACHINE METHOD	TON	177.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	3.00
403.6	PAVEMENT JOINT ADHESIVE	LF	890.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	21.00
618.7	FLAGGERS	HR	40.00
619.1	MAINTENANCE OF TRAFFIC	U	0.03
628.2	SAWED BITUMINOUS PAVEMENT	LF	325.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	1,300.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	287.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	52.00
645.531	SILT FENCE	LF	52.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	287.00
647.1	HUMUS	CY	28.00

692.	MOBILIZATION	U	0.03
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	560.00
NH 142 77082			
203.1	COMMON EXCAVATION	CY	60.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	4.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	17.00
304.35	CRUSHED GRAVEL FOR DRIVES	CY	4.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	123.00
403.6	PAVEMENT JOINT ADHESIVE	LF	3,130.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	15.00
618.7	FLAGGERS	HR	60.00
619.1	MAINTENANCE OF TRAFFIC	U	0.05
628.2	SAWED BITUMINOUS PAVEMENT	LF	1,560.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	1,600.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	850.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	153.00
645.531	SILT FENCE	LF	153.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	850.00
647.1	HUMUS	CY	83.00
692.	MOBILIZATION	U	0.05
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	1,580.00
NH 142 77087			
203.1	COMMON EXCAVATION	CY	20.00
304.31	CRUSHED GRAVEL FOR SHIMMING	CY	4.00
304.32	CRUSHED GRAVEL FOR SHOULDER LEVELING	TON	7.00
304.35	CRUSHED GRAVEL FOR DRIVES	CY	2.00
403.12	HOT BITUMINOUS PAVEMENT, HAND METHOD	TON	40.00

403.6	PAVEMENT JOINT ADHESIVE	LF	1,156.00
410.22	ASPHALT EMULSION FOR TACK COAT	GAL	5.00
618.7	FLAGGERS	HR	60.00
619.1	MAINTENANCE OF TRAFFIC	U	0.02
628.2	SAWED BITUMINOUS PAVEMENT	LF	516.00
632.0104	RETROREFLECTIVE PAINT PAVE. MARKING, 4" LINE	LF	600.00
645.42	TEMPORARY SLOPE STABILIZATION TYPE B (WILDLIFE FRIENDLY)	SY	306.00
645.512	COMPOST SOCK FOR PERIMETER BERM	LF	55.00
645.531	SILT FENCE	LF	55.00
646.31	TURF ESTABLISHMENT WITH MULCH AND TACKIFIERS	SY	305.00
647.1	HUMUS	CY	30.00
692.	MOBILIZATION	U	0.02
699.	MISCELLANEOUS TEMPORARY EROSION AND SEDIMENT CONTROL	\$	710.00
Incidentals			
206.19	COMMON STRUCTURE EXCAVATION EXPLORATORY	CY	2.50
214.	FINE GRADING	U	0.80
621.31	SINGLE DELINEATOR WITH POST	EA	2.00
621.32	DOUBLE DELINEATOR WITH POST	EA	1.00